

## Declaration

BARTEC GmbH · Max-Eyth-Straße 16 · 97980 Bad Mergentheim · Germany

# BARTEC

Max-Eyth-Straße 16  
97980 Bad Mergentheim  
Germany

Phone: +49 7931 597-0

Fax: +49 7931 597-119

[info@bartec.de](mailto:info@bartec.de)

[www.bartec-group.com](http://www.bartec-group.com)

Herewith we, the BARTEC GmbH, declare

that we use as battery pack of the MC 959x<sup>ex</sup> series the model B7-A2Z0-0011 Lithium Ion from TWS Electronics Limited, Guangzhou, China as raw material.

**Product:**

Battery pack of the MC 959x<sup>ex</sup> series type B7-A29x-xxxx/xxxxxxxx

**Type number:**

B7-A2Z0-0011 Lithium Ionen Battery 3.7 V / 4800 mAh

Related to this declaration is following documentation:

- Material Safety Data Sheet (File S/N TWS-IMS-QE-201400228, Issue Date: 2014-1-3)
- No Mercury Certificate (Date: 2014-12-16)

Bad Mergentheim, January, 13<sup>th</sup> 2015

BARTEC GmbH

Yours sincerely,

i. A.

  
Benedikt Eckert

Product Manager Mobile Computer

BARTEC GmbH

Max-Eyth-Straße 16  
97980 Bad Mergentheim

District court  
Amtsgericht Ulm  
HRB 723429

Bank details

Commerzbank  
Bank Code 790 400 47  
Account 6 900 898  
SWIFT/BIC  
COBADEFF790  
IBAN  
DE40 7904 0047 0690 0898 00

Sparkasse Tauberfranken

Bank code 673 525 65  
Account 22 699

SWIFT/BIC  
SOLA DE S1 TBB

IBAN  
DE97 6735 2565 0000 0226 99

HypoVereinsbank Würzburg

Bank code 790 200 76  
Account 14 45 332

SWIFT/BIC  
HYVEDEMM 455

IBAN  
DE02 7902 0076 0001 4453 32

Management Board  
Dr. Ralf Köster (Vors.)  
Dr. Anjou Appelt  
Heiko Laubheimer



广州明美电子有限公司  
Guangzhou TWS Electronics Limited

**MATERIAL SAFETY DATA SHEET**

File S/N: TWS-IMS-QE-201400228

Issue Date: 2014-1-3

We would like to inform our customers that these batteries are exempt articles and are not subject to the OSHA Hazard requirement, or to the Canadian WHMIS requirements and the sheets are supplied as a service to our customer.

**1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Product name</b>	Lithium Ion Batteries
<b>Model</b>	B7-A2Z0-0011
<b>Rating</b>	3.7V 4800mAh 17.7Wh
<b>Company:</b>	Guangzhou TWS Electronics Limited
<b>Address:</b>	No.39 Nanyunsan Road, Science Park, Hi-Tech Industrial Development Zone Guangzhou,P.R.China,510663
<b>Manufacturer:</b>	Guangzhou TWS Electronics Limited
<b>Address:</b>	No.39 Nanyunsan Road, Science Park, Hi-Tech Industrial Development Zone Guangzhou, P.R. China. 510663
<b>Telephone no.</b>	+ 86-20-22215111
<b>Fax no.</b>	+86-20-22213268

**2. INGREDIENTS**

Battery Cell

<b>Components</b>	<b>Content (wt%)</b>	<b>CAS #</b>
Lithium Cobalt Dioxide (LiCoO2)	less than 38wt%	12190-79
Lithium Hexafluorophosphate (LiPF6)	less than 3wt%	21324-40-38
Ethylene Carbonate (C3H4O3)	less than 6wt%	96-49-1
Chain Carbonate ( - )	less than 8wt%	
Graphite (C)	less than 20wt%	7782-42-5
Lead (Pb)	less than 0.1wt%(1000ppm)	
Mercury (Hg)	less than 0.0005wt%(5ppm)	

Note: The others 25% includes the below material  
AL(Positive Base Film,Cap,Can,Tab)  
Cu(Negative Base Film)  
Ni(Tab,Terminal)  
Fe(Terminal)  
Resin(PP,PE,PET)(Separator,Plastic Parts,Insulator)

Circuit Module

<b>HAZARDOUS INGREDIENTS</b>	<b>%</b>	<b>CAS NUMBER</b>
------------------------------	----------	-------------------

Lithium-ion Battery

Lead	<0.1	7439-92-1
Mercury	0	7439-97-6
Chromium	0	7440-47-3
Cadmium	0	7440-43-9
Plastic case and Si2O	0	N/A

Plastic Parts and Paints

<b>HAZARDOUS INGREDIENTS</b>	<b>%</b>	<b>CAS NUMBER</b>
Polychlorinate	More than 81 wt%	25971-63-5
Flame Retardant	Less than 12 wt%	
Elastomer	Less than 7 wt%	

### 3. HAZARDS IDENTIFICATION

#### PROTENTIAL HEALTH EFFECTS

##### PRIMARY ROUTES OF ENTRY

Skin contact, Skin absorption, Eye contact, Inhalation, and Ingestion : NO

##### SYMPTOMS OF EXPOSURE

Skin contact

No effect under routine handling and use.

Skin absorption

No effect under routine handling and use.

Eye contact

No effect under routine handling and use.

Inhalation

No effect under routine handling and use.

### 4. FIRST AID MEASURES

INHALATION, EYE CONTACT, and SKIN CONTACT : Not a health hazard.

#### INGESTION

If swallowed, obtain medical attention immediately.

If exposure to internal materials within cell(pack) due to damaged outer casing, the following actions are recommended.

#### INHALATION

Leave area immediately and seek medical attention.

#### EYE CONTACT

Rinse eyes with water for 15 minutes and seek medical attention.

#### SKIN CONTACT

Wash area thoroughly with soap and water and seek medical attention.

#### INGESTION

Lithium-ion Battery

Drink milk/water and induce vomiting; seek medical attention.

## **5. FIRE FIGHTING MEASURES**

### **5.1 GENERAL HAZARD**

Cell is not flammable but internal organic material will burn if the cell is incinerated.  
Combustion products include, but are not limited to hydrogen fluoride, carbon monoxide and carbon dioxide.

### **5.2 EXTINGUISHING MEDIA**

Use extinguishing media suitable for the materials that are burning.

### **5.3 SPECIAL FIREFIGHTING INSTRUCTIONS**

If possible, remove cell(s) from fire fighting area. If heated above 125°C, cell(s) can explode/vent.

### **5.4 FIREFIGHTING EQUIPMENT**

Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1 ON LAND**

Place material into suitable containers and call local fire/police department.

### **6.2 IN WATER**

If possible, remove from water and call local fire/police department.

## **7. HANDLING AND STORAGE**

### **7.1 HANDLING**

No special protective clothing required for handling individual cells.

### **7.2 STORAGE**

Store in a cool dry place.

## **8. EXPOSURE CONTROLS//PERSONAL PROTECTION**

### **8.1 ENGINEERING CONTROLS**

Keep away from heat and open flame. Store in a cool dry place.

### **8.2 PERSONAL PROTECTION**

Respirator: Not required during normal operations. SCBA required in the event of a fire.

Eye/face protection: Not required beyond safety practices of employer.

Gloves: Not required for handling of cells.

Foot protection: Steel toed shoes recommended for large container handling.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

State	Solid
Odor	N/A

Lithium-ion Battery

PH	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

## 10. STABILITY AND REACTIVITY

### 10.1 REACTIVITY

None

### 10.2 INCOMPATIBILITIES

None during normal operation. Avoid exposure to heat, open flame, and corrosives.

### 10.3 HAZARDOUS DECOMPOSITION PRODUCTS

None during normal operating conditions. If cells are opened, hydrogen fluoride and carbon monoxide may be released.

### 10.4 CONDITIONS TO AVOID

Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

## 11. TOXICOLOGICAL INFORMATION

This product does not elicit toxicological properties during routine handling and use.

Sensitization: NO Teratogenicity: NO Reproductive toxicity: NO Acute toxicity.

This product does not contain any kinds of the following substances and halogen-type flame retardants including Chlorine and Bromide type harmful flame retardants which are listed in Appendix of TCO documents and relevant international ECO requirements:

- Polybromated Biphenyls (PBB)
- Polybromated Diphenylethers (PBDE)
- Polychlorinated Biphenyls (PCBs)
- Polychlorinated Terphenyls (PCTs)
- Polychlorinated Paphthalene (PCN)
- Chlorinated Paraffins (C10-C13)
- Chlorofluorocarbons (CFCs)
- Polyvinyl Chloride (PVC)
- Carbon Tetrachloride

None of the following substances will be exposed, leaked, or emitted during transportation, storage or any operation and any temperature condition:

## 12. Ecological information

The batteries do not contain mercury, cadmium or other heavy metals.

## 13. Disposal Considerations

Dispose by incineration or burial at permitted waste treatment and/or disposal sites.

Batteries do not contain hazardous materials according to EC directives 91/157/EEC and 93/86/EEC.

For large quantities a disposal service is offered upon request.

Lithium-ion Battery

## 14. Transport information

With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) *Technical Instructions* (2013~2014 Edition)
- The International Air Transport Association (IATA) *Dangerous Goods Regulations* (55th edition Packing Instruction 965 Section II or IB is applied as appropriate.  
Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery contact and without release of contents.  
There is no hazard in accordance with the UN recommendation tests (UN *Manual of Tests and Criteria*, Part III, sub-section 38.3)
- The *International Maritime Dangerous Goods (IMDG) Code* (Edition 2010, Special Provisions 188, 230, 310 & 957 for UN3480/3481 Lithium-Ion Battery, Packing Instruction P903 for Lithium-ion batteries)
- US Department of Transportation (DOT) 49 *Code of Federal Regulations*

## 15. Regulatory Information:

Local hazardous waste disposal laws.

This product is made from materials with no detectable mercury.

## 16. Other Information:

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation. This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Guangzhou TWS Electronics Limited  
No.39 Nanyunsan Road, Science Park, Hi-Tech  
Industrial Development Zone, Guangzhou,  
China.

Tel: + 86-20-2221-3613

Fax: +86-20-2221-3268

## **No Mercury Certificate**

We , Guangzhou TWS Electronics Limited, hereby certify that the below listed battery packs we supply which are made in China and do not contain Mercury.

We certify that these packs meet the environment regulations in the People's Republic of China for battery product.

Product Name: 308025 Li-ion Battery

Part Number: B7-A2Z0-0011

Guangzhou TWS Electronics Limited

2014-12-16