

# Declaration



BARTEC GmbH · Max-Eyth-Straße 16 · 97980 Bad Mergentheim · Germany

Max-Eyth-Straße 16  
97980 Bad Mergentheim  
Germany

Phone: +49 7931 597-0  
Fax: +49 7931 597-119

[info@bartec.de](mailto:info@bartec.de)  
[www.bartec-group.com](http://www.bartec-group.com)

Herewith we, BARTEC GmbH, declare

that we use type no. B7-A2Z0-0075 (customer replaceable) battery pack for Touch Computer TC26<sup>ex</sup>-NI series.  
The battery pack includes Lithium Ion battery cells.  
The battery pack is manufactured by TWS Technology (Guangzhou) Limited.

### Battery packs related to product:

Battery pack type B7-A2Z0-0075

- Touch Computer TC26<sup>ex</sup>-NI (type no.'s B7-A2C\* -\*\*\*\*/\*\*\*\*\*).

Type number:	B7-A2Z0-0075 (Standard battery)
SAP:	457398
Related product:	TC26 <sup>ex</sup> – NI B7-A2C* -****/*****
Zebra Reference number:	BT-000409A
Zebra sub supplier:	TWS Technology (Guangzhou) Limited
Description	Battery for CSA Class I,II,III Division 2 certified Touch Computer TC26 <sup>ex</sup> – NI series
Technical data:	Lithium Ion Polymer 3.85 V / typ 3400 mAh / 13.09 Wh 3.85 V / min 3300 mAh / 12.7 Wh
Weight:	approx. 0.067 kg
Dimension:	approx. 100.8 x 62.9 x 6.9 mm
UN 38.3 Test Report:	Passed
Proper Shipping Name:	Lithium Ion Batteries
Class:	9
UN Classification 3480:	Shipping of Lithium ion batteries (limited to a maximum of 30% SoC) Shipping of single batteries without equipment.
UN Classification 3481:	Shipping of Lithium ion batteries: “packed with equipment” or “contained in equipment”

BARTEC GmbH

Max-Eyth-Straße 16  
97980 Bad Mergentheim

District court: Ulm HRB 723429  
Tax No.: 52001/09044  
VAT No.: DE 262 57 03 04

Bank details  
Sparkasse Tauberfranken  
SWIFT:  
SOLADES1TBB  
IBAN/EUR:  
DE97 6735 2565 0000 0226 99  
IBAN/USD:  
DE23 6735 2565 0070 6247 05

Management Board  
Dr. Martin Scheffter (CEO)  
Dr. Thomas R. Fritzmann (CFO)  
Xavier Hamers (CCO)

## Declaration

# BARTEC

Related to this declaration is following documentation:

For BARTEC type number B7-A2Z0-0075 (Standard battery)

- TWS Technology (Guangzhou) Limited Material Safety Data Sheet  
Date: 2022-01-14 / Reference Number: TWS-IMS-QE-20220246

Bad Mergentheim, January, 17<sup>th</sup> 2023

BARTEC GmbH

i. A.   
Sarah Springer

*Product Manager Enterprise Mobility*

**Separator sheet**

**Battery B7-A2Z0-0075 for**

Touch Computer TC26<sup>ex</sup>-NI

Type B7-A2C\*-.\*\*\*\*/\*\*\*\*\*

**Material Safety Data Sheet**

TWS Technology (Guangzhou) Limited

Reference Number:

TWS-IMS-QE-20220246

Date: 2022-01-14

## MATERIAL SAFETY DATA SHEET

File S/N: TWS-IMS-QE-20220246    Issue Date: 2022-01-14

We would like to inform our customers that these batteries are exempt articles and are not subject to the 29 CFR 1910.1200 OSHA requirements, or to the Canadian WHMIS requirements and the sheets are supplied as a service to you.

### 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product name</b>	Rechargeable Li-ion Polymer Battery
<b>Model</b>	BT-000409A
<b>Rating</b>	3.85V 3300mAh 12.70Wh (Min.)/3400mAh 13.09Wh(Typ.)
<b>Company:</b>	TWS Technology (Guangzhou) Limited
<b>Address:</b>	No.39 Nanyunsan Road, Science Park, Hi-Tech Industrial Development Zone Guangzhou,P.R.China,510663
<b>Manufacturer:</b>	TWS Technology (Guangzhou) Limited
<b>Address:</b>	No.39 Nanyunsan Road, Science Park, Hi-Tech Industrial Development Zone Guangzhou, P.R. China. 510663
<b>Telephone no.</b>	+ 86-20-22215111
<b>Fax no.</b>	+86-20-22215113

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### Battery Cell

MATERIAL OR INGREDIENTS	Content (wt %)	CAS #
Lithium Cobalt Oxide (LiCoO2)	less than 41wt%	12190-79-3
Electrolyte(-)	less than 16wt%	21324-40-3, 96-49-1 and others
Graphite(C)	less than 20wt%	7782-42-5
Aluminum(Al)	less than 22wt%	7429-90-5
Copper, Nickel metal and inert materials	Remainder	7440-50-8 and others
Lead(Pb)*	less than 0.004wt%(40ppm)	7439-92-1
Mercury(Hg) *	less than 0.0005wt%(5ppm)	7439-97-6
Cadmium(Cd) *	less than 0.002wt%(20ppm)	7440-43-9

\*Banned or restricted material

#### Circuit Module

HAZARDOUS INGREDIENTS	%/wt	CAS #
Lead	<0.1	7439-92-1
Mercury	0	7439-97-6
Chromium	0	7440-47-3
Cadmium	0	7440-43-9
Plastic case and Si2O	0	N/A

## Plastic Parts and Paints

<b>HAZARDOUS INGREDIENTS</b>	<b>%/wt</b>	<b>CAS #</b>
Polycarbonate	More than 81 wt%	103598-77-2
Flame Retardant	Less than 12 wt%	N/A
Elastomer	Less than 7 wt%	N/A

### **3. HAZARDS IDENTIFICATION**

#### **POTENTIAL HEALTH EFFECTS**

##### **PRIMARY ROUTES OF ENTRY**

Skin contact, Skin absorption, Eye contact, Inhalation, and Ingestion : NO

##### **SYMPTOMS OF EXPOSURE**

Skin contact

No effect under routine handling and use.

Skin absorption

No effect under routine handling and use.

Eye contact

No effect under routine handling and use.

Inhalation

No effect under routine handling and use.

### **4. FIRST AID MEASURES**

INHALATION, EYE CONTACT, and SKIN CONTACT: Not a health hazard.

#### **INGESTION**

If swallowed, obtain medical attention immediately.

If exposure to internal materials within cell(pack) due to damaged outer casing, the Following actions are recommended.

#### **INHALATION**

Leave area immediately and seek medical attention.

#### **EYE CONTACT**

Rinse eyes with water for 15 minutes and seek medical attention.

#### **SKIN CONTACT**

Wash area thoroughly with soap and water and seek medical attention.

#### **INGESTION**

Drink milk/water and induce vomiting; seek medical attention.

### **5. FIRE FIGHTING MEASURES**

#### **5.1 GENERAL HAZARD**

Cell is not flammable but internal organic material will burn if the cell is incinerated. Combustion products include, but are not limited to hydrogen fluoride, carbon monoxide and carbon dioxide.

## **5.2 EXTINGUISHING MEDIA**

Use extinguishing media suitable for the materials that are burning.

## **5.3 SPECIAL FIREFIGHTING INSTRUCTIONS**

If possible, remove cell(s) from fire fighting area. If heated above 125°C, cell(s) can explode/vent.

## **5.4 FIREFIGHTING EQUIPMENT**

Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

## **6.1 ON LAND**

Place material into suitable containers and call local fire/police department.

## **6.2 IN WATER**

If possible, remove from water and call local fire/police department.

# **7. HANDLING AND STORAGE**

## **7.1 HANDLING**

No special protective clothing required for handling individual cells.

## **7.2 STORAGE**

Store in a cool dry place.

# **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **8.1 ENGINEERING CONTROLS**

Keep away from heat and open flame. Store in a cool dry place.

## **8.2 PERSONAL PROTECTION**

Respirator: Not required during normal operations. SCBA required in the event of a fire.

Eye/face protection: Not required beyond safety practices of employer.

Gloves: Not required for handling of cells.

Foot protection: Steel toed shoes recommended for large container handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

State	Solid
Odor	N/A
PH	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

## 10. STABILITY AND REACTIVITY

### 10.1 REACTIVITY

None

### 10.2 INCOMPATIBILITIES

None during normal operation. Avoid exposure to heat, open flame, and corrosives.

### 10.3 HAZARDOUS DECOMPOSITION PRODUCTS

None during normal operating conditions. If cells are opened, hydrogen fluoride and carbon monoxide may be released.

### 10.4 CONDITIONS TO AVOID

Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

## 11. TOXICOLOGICAL INFORMATION

This product does not elicit toxicological properties during routine handling and use.

Sensitization: NO Teratogenicity: NO Reproductive toxicity: NO Acute toxicity: NO

This product does not contain any kinds of the following substances and halogen-type flame retardants including Chlorine and Bromide type harmful flame retardants which are listed in Appendix of TCO documents and relevant international ECO requirements:

- Polybrominated Biphenyl (PBB)
- Polybrominated Diphenyl Ethers (PBDE)
- Polychlorinated Biphenyls (PCBs)
- Polychlorinated Triphenyls(PCTs)
- Polychlorinated Naphthalene (PCN)
- Short Chain Chlorinated Paraffins (C10-C13)
- Chlorofluorocarbons(CFCs)
- Polyvinyl Chloride(PVC)
- Carbon Tetrachloride

None of the following substances will be exposed, leaked, or emitted during transportation, storage or any operation and any temperature condition:

## 12. ECOLOGICAL INFORMATION

The batteries do not contain mercury, cadmium or other heavy metals.

### **13. DISPOSAL CONSIDERATIONS**

Dispose by incineration or burial at permitted waste treatment and/or disposal sites.

Batteries do not contain hazardous materials according to EC directives 2013/56/EU and 93/86/EEC.

For large quantities a disposal service is offered upon request.

### **14. TRANSPORT INFORMATION**

With regard to transport, the following regulations are cited and considered.

- The International Civil Aviation Organization (ICAO) *Technical Instructions* (2022 Edition)
- The International Air Transport Association (IATA) *Dangerous Goods Regulations* (63rd edition, Packing Instruction 965,966 or 967 Section II or IB is applied as appropriate.  
Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery contact and without release of contents.  
There is no hazard in accordance with the UN recommendation tests (UN *Manual of Tests and Criteria*, Part III, sub-section 38.3)
- International Maritime Organization, the *International Maritime Dangerous Goods(IMDG) Code*(Edition 2020, Amendment 40-20,Special Provisions 188,230,348&957 for UN3480/3481 Lithium-Ion Battery , Packing Instruction P903,P910 for Lithium-ion batteries)
- US Department of Transportation (DOT) 49 Code of Federal Regulations

### **15. REGULATORY INFORMATION:**

Local hazardous waste disposal laws.

This product is made from materials with no detectable mercury.

### **16. OTHER INFORMATION:**

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation. This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

End of Safety Data Sheet